#### Exceptional service in the national interest









#### Validation and Optimization Testing of a Target Fueled Isotope Production Reactor

James Dahl

Manager of Nuclear Safety Analysis, Radiation Sciences Center






#### **Topics**




- Reactor Design Concept
- Approach to Critical Experiments
- Target/Fuel Thermo-Hydraulic Tests
- Burnup and Transient Fuel Tests
- Conclusions

#### Reactor Design Concept








#### Approach to Critical Experiments




- Load to critical approach using inverse multiplication measurements
- Evaluate three key design parameters;
  - Target/fuel pitch,
  - Reflector design and
  - Moderator temperature feedback coefficient.
- Utilize the Sandia Critical Experiment Facility (SCXF)




## Sandia Critical Experiment Facility





## Sandia Critical Experiment Facility







## Sandia Critical Experiment Facility





#### Target/Fuel Thermo-Hydraulic Tests




- Open pool reactor power is limited by heat transfer from fuel/targets to coolant
  - Confirming the calculated Minimum Critical Heat Flux can be supported experimentally outside of a reactor core.
  - A tri-lattice of simulated inert (i.e. no fissile material) fuel/target elements will be setup in a deep (~6 m) pool.
  - The elements will be electrically heated to the range of peak element power calculated to occur during normal and accident conditions.
  - The average fuel/target element power is anticipated to be 10 kW per element up to a maximum of 38 kW. Based on calculations this would equate to a UO2 matrix temperature of about 1200° C.
  - The coolant channel inlet temperature will be controlled to simulate a coolant loop return and the coolant channel outlet temperature will be measured.

#### **Burnup and Transient Fuel Tests**




Sandia's Annular Core Research Reactor (ACRR)



# Annular Core Research Reactor(ACRR) National Laboratories

ACRR Pulse



#### Conclusions



- A thorough and planned testing schedule for a medical isotope production reactor can be executed at Sandia National Laboratories.
- Approach to critical and low power testing will help establish key operating parameters of the reactor system.
- Out of core thermo-hydraulic tests will help establish reactor power limits.
- Burnup and transient tests can be conducted at Sandia's ACRR.
- The tests will validate design calculations, optimize the final design and support the licensing process.

#### Questions



Contact: James Dahl

**Sandia National Laboratories** 

jjdahl@sandia.gov

(505) 284-9067